



# MMSDS

## MATERIAL SAFETY DATA SHEET

PRODUCT TRADE NAME:

HOMAX PRODUCTS, INC.

**TEXTURE PATCH**

**ITEM #5571,5572,5575,5581,5582,5585**

(HAZARD RATING: 0 = LEAST 1 = SLIGHT, 2 = MODERATE, 3 = HIGH,  
4 = EXTREME)

HAZARDOUS MATERIAL INFORMATION SYSTEM	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PROTECTIVE EQUIPMENT	A

### SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME:

HOMAX PRODUCTS, INC.

468 W. HORTON RD.

BELLINGHAM WA 98226

24 HOUR EMERGENCY PHONE NUMBER:

CHEMTREC

1-800-424-9300

INFORMATION PHONE NUMBER:

1-800-729-9029

DATE OF PREPARATION:

12/16/03

### SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

DESCRIPTION	CAS #	%W/W	EXPOSURE LIMITS IN AIR			
			ACGIH-TLV		OSHA-PEL	NIOSH-REL
CALCIUM CARBONATE	1317-65-3	30-60	TWA	STEL	TWA STEL	TWA STEL
			MG/M3	MG/M3	MG/M3	MG/M3
			10	NE	15 ** NE	10* NE
TITANIUM DIOXIDE	13463-67-7				5**	5**

AMOUNTS OF DUST WILL BE DEPENDENT UPON METHOD OF HANDLING.

### SECTION III - HEALTH HAZARD DATA

INHALATION:

MECHANICAL IRRITATION

SKIN CONTACT:

MECHANICAL IRRITATION

INGESTION:

MECHANICAL IRRITATION

EYES:

MECHANICAL IRRITATION

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

DERMATITIS, HOWEVER, SENSITIVITY VARIES FROM INDIVIDUAL TO INDIVIDUAL.

CARCINOGENICITY:

N/A

---

**SECTION IV – EMERGENCY AND FIRST AID PROCEDURES**


---

**INHALATION:**

REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION.

**SKIN CONTACT:**

WASH WITH SOAP AND WATER OR USE WATERLESS HAND CLEANER. DO NOT USE SOLVENTS OR THINERS TO CLEAN SKIN.

**INGESTION:**

IF VICTIM IS CONSCIOUS, GIVE LIQUIDS. CALL A PHYSICIAN. DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY A PHYSICIAN.

**EYES:**

FLUSH WITH LARGE AMOUNTS OF WATER WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

---

**SECTION V – FIRE AND EXPLOSION DATA**


---

FLASH POINT & METHOD:	>300 F >149 C
AUTOIGNITION TEMPERATURE:	N/A
FLAMMABLE LIMITS IN AIR:	N/A
EXTINGUISHING MEDIA:	DRY CHEMICAL, WATER FOG, FOAM, CO2
FIREFIGHTING PROCEDURES:	IF ENTERING A CONFINED AREA, FIREFIGHTERS SHOULD WEAR A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS.
OTHER PRECAUTIONS:	THE FIBERGLASS WILL NOT BURN. NUMBERS CITED ARE FOR ORGANIC RESIN FINISH.

---

**SECTION VI – REACTIVITY DATA**


---

**STABILITY:**

STABLE

**INCOMPATIBILITY / MATERIALS TO AVOID:**

AVOID CONTACT WITH STRONG OXIDIZERS

**HAZARDOUS BY – PRODUCTS OF DECOMPOSITION:**

CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, AND OTHER UNIDENTIFIED COMPOUNDS MAY FORM UPON COMBUSTION OF THE ORGANIC RESIN FINISH.

---

**SECTION VII – PHYSICAL / CHEMICAL DATA**


---

BOILING POINT:	N/A
MELTING POINT:	>195 F (ADHESIVE)
EVAPORATION RATE:	ND
pH:	N/A
SPECIFIC GRAVITY (WATER = 1):	1.2 – 1.3
SOFTENING POINT:	>160 F (ADHESIVE)
VAPOR DENSITY (AIR = 1)	N/A
SOLUBILITY:	INSOLUBLE IN WATER
APPEARANCE AND ODOR:	WOVEN FABRIC, NO DISCERNIBLE ODOR
ADDITIONAL COMMENTS:	VOLATILE ORGANIC CONTENTS 0%

---

**SECTION VIII – PERSONAL PROTECTION**


---

**RESPIRATORY PROTECTION:**

NOT NORMALLY REQUIRED. IF REQUIRED USE NIOSH APPROVED DUST RESPIRATOR.

**PROTECTIVE CLOTHING:**

IMPERVIOUS GLOVES SUCH AS NEOPRENE OR VINYL

ADDITIONAL PROTECTIVE MEASURES:

DO NOT INGEST. SAFETY GLASSES / GOGGLES. WEAR A PROTECTIVE APRON IF REPEATED CONTACT IS LIKELY. SHOWER AND CLEAN WORK CLOTHES DAILY IS RECOMMENDED.

---

#### **SECTION IX – SAFE USAGE INFORMATION**

---

HANDLING, STORAGE, & OTHER PRECAUTIONS:

STORE AND USE IN A MANNER THAT WILL PREVENT AIRBORNE PARTICULATE IN THE WORKPLACE.

ACTION TO BE TAKEN IN CASE OF SPILL OR RELEASE (INCLUDING DISPOSAL):

WASTES SHOULD BE DISPOSED OF ACCORDING TO FEDERAL, STATE, AND LOCAL REGULATION.

---

#### **SECTION X - DISCLAIMER**

---

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY HOMAX PRODUCTS, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCTS ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THESE PRODUCTS OR THE INFORMATION PROVIDED HERewith.